





THERMOREGULATED MANUAL WASTE OUTLET



ELECTRICAL RESISTANCES



OVERFILLING WITH FREE EXIT WITH CONTAINER FOR THE RECOVERY OF WATER







- N°2 CONNECTIONS FOR IN/OUT OF HOT WATER
- N°1 FAUCET FOR IN/OUT WATER



ELECTRICAL BOARD MADE WITH CE PARAMETERS



- LOW TENSION CONTROL 24 V
- SECURITY BUTTON LOCK- DOOR







REDUCTION AND
COMMAND GROUP
LUBRICATED WITH OIL
IN CAST IRON G 26,
WITH ELICAL GEARS
AND CEMENTIFIED
AND TEMPERED RODS
IN 18 N.C.D.A.STEEL



CARTER FOR PROTECTION OF REDUCTOR



CONNECTIONS FOR LOADING PRODUCT





N°2 UPPER HINGED GATES FOR INSPECTION OR LOADING PRODUCT



MICROSWITCH OF SECURITY



TWO PUMP MOUNTS





MAIN SHAFT IN STAINLESS STEEL RECTIFIED H 7



STAINLESS STEEL VISE BLOCKING DEVICE COMPLETELY WORKED



SUPPORT FOR MAIN SHAFT IN BRONZE B 10









SCRAPERS AND ARMS
COMPLETELY
DISMOUNTABLE AND
ADJUSTABLE

